



























120 POUNDS MAXIMUM  
BAGGAGE AND/OR AUXILIARY PASSENGER  
FORWARD OF BAGGAGE DOOR LATCH AND  
80 POUNDS MAXIMUM  
BAGGAGE AFT OF BAGGAGE DOOR LATCH  
MAXIMUM 200 POUNDS COMBINED  
FOR ADDITIONAL LOADING INSTRUCTIONS  
SEE WEIGHT AND BALANCE DATA

































DATE  
4.7.23

FOH	HTH
N	5.7
30	5.7
60	5.7
E	5.7
120	5.7
150	5.7
S	5.7
210	5.7
240	5.7
W	5.7
300	5.7
330	5.7

  
REPLACE AFTER 12 MONTHS OR 100 HOURS  
WHATEVER COMES FIRST • **WHATEVER**  
DATE OPENED:   
REPLACE AFTER 12 MONTHS  
© 2018 ASA Inc. All rights reserved.

Down Ropes stay with Plane!  
Check ELT (121.5)

3365  
MAGAZ  
0-01  
URS



ARTEX  
ELT

EMERGENCY USE ONLY  
ON  
ARM

**CAUTION**  
Absence of light during first  
3 seconds of test indicates  
possible G-switch failure

TESTING ONLY  
PRESS ON  
WAIT 1 SECOND  
PRESS ARM

ARMY FREQ GS/T DME AN 04

OFF

Altitude, Density, Fuel, Airspeed, Pressure, Temp, Fuel, Max. Climb

Altitude	Density	Fuel	Airspeed	Pressure	Temp	Fuel	Max. Climb
1000							
2000	Max. climb						
4000	Max. climb						
6000	Max. climb						
8000	Max. climb						
10000	Max. climb						

**REMOVE TOWBAR  
BEFORE ENGINE START**



